

# GUIDELINES FOR PREPARATION OF ABSTRACTS AND SHORT CONFERENCE PAPERS

## GUIDELINES

To be selected for either an oral or poster presentation authors must submit at least an abstract. Short papers must also include an abstract. If authors chose the short paper option it should include an Introduction, Methods, Results, Discussion, Conclusions and References as per the more traditional paper format.

- Papers should be prepared in Word using Calibri 12 point font
- Select A4 page size with a 2.5 cm margin all around.
- The title should be typed in BOLD CAPITALS, 14 point font, centered, leave a gap of one line after.
- Authors' names should be in lower case, centered, leaving a gap of one line after.
- Underline the name of the presenting author.
- Authors' affiliations and addresses should appear after a one-line space in lower case, aligned to the left, with multiple affiliations indicated by superscripted numbers.
- Leave a double space and proceed with the paper, using single spacing and the writing justified without indentation.

## SAMPLE ABSTRACT AND PAPER FORMAT

### HMW GLUTENIN SUBUNITS FROM 1S<sup>1</sup> GENOME OF *AEGILOPS LONGISSIMA*

Wujun Ma<sup>1</sup>, Yueming Yan<sup>2</sup>, Shunli Wang<sup>1,2</sup>, Zitong Yu<sup>1,2</sup>, H Weißgerber<sup>3</sup>, FJ Zeller<sup>3</sup>, SLK Hsam<sup>3</sup>,  
Dean Diepeveen<sup>1</sup>, Shahidul Islam<sup>1</sup>, Rudi Appels<sup>1</sup>

<sup>1</sup>Australian Export Grain Innovation Centre, 3 Baron-Hay Court, Perth, WA 6151, & School of Veterinary and Life Sciences, Murdoch University, South St, Perth WA 6150;

<sup>2</sup>College of Life Science, Capital Normal University, 100048 Beijing, China

<sup>3</sup>Division of Plant Breeding and Applied Genetics, Technical University of Munich, D-85350 Freising-Weihenstephan, Germany

## ABSTRACT

A Chinese Spring (CS) substitution line was produced in which a chromosome (1S<sup>1</sup>) from *Aegilops longissima* substituted one chromosome (1B) of CS with a significantly increase of dough rheological property. A range of studies have been carried out in aspects of high molecular weight glutenin coding genes, protein accumulations, protein bodies, starch granules and protein disulfide isomerase (PDI) and PDI-like protein expressions (PDI and PDI-like protein can control diversified metabolic functions) in order to uncover the mechanism underlying the superior dough and breadmaking quality of this substitution line.

## INTRODUCTION

## RESULTS

## DISCUSSION

## CONCLUSIONS

## REFERENCES